IN THE CLAIMS:

Kindly replace the claims of record with the following full set of claims:

1.   (Currently amended)   A method, operable in a processing system, for playing a downloaded content, comprising the steps:

reading a pre-stored content providing additional information regarding a content of said downloaded content, the pre-stored content including at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content;

detecting an available bandwidth;

sending a request for downloading the downloaded content according to the additional information regarding the downloaded content, wherein the request includes information of the detected available bandwidth;

selecting a quality of downloading the downloaded content from the menu of quality associated with the downloaded content, the quality selection being in conformance with the detected available bandwidth;

receiving the downloaded content according to the selected quality associated with the detected bandwidth; and

playing the downloaded content combined with the pre-stored content[[.]]; and

monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

2.   (Original)The method according to claim 1, wherein the request includes a URL of a website on which the downloaded content are stored.

3.   (Original)The method according to claim 1, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.

4.   (Currently amended)   A method for playing a downloaded content on a processing system, comprising the steps:

reading a pre-stored content providing additional information regarding a content of said downloaded content, the additional information including at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content;

detecting an available bandwidth;

selecting a relevant quality of the downloaded content according to the detected bandwidth information and the additional information regarding the downloaded content;

sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;

receiving the downloaded content according to the relevant quality;

playing the downloaded content combined with the additional information regarding the content of the downloaded content; and

monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

.

5.   (Currently amended)The method according to claim 4, wherein the additional information regarding the downloaded content further includes an ID of an optical disk, and an URL of a website on which the downloaded content are stored and a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content.

6.   (Original)The method according to claim 4, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.

7. (Currently amended) A method for playing downloaded content, comprising

the steps:

reading a pre-stored content which include information regarding a content of the downloaded content, the pre-stored content including at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content;

detecting an available bandwidth;

selecting a relevant quality of the downloaded content according to the detected bandwidth information and the information regarding the content of the downloaded content;

sending a request for downloading the downloaded content according to the information regarding the content of the downloaded content, wherein the request includes the relevant quality;

receiving the downloaded content according to the relevant quality;

playing the downloaded content combined with the information regarding the content of the downloaded content; and

monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

.

8.   (Previously presented)The method according to claim 7, wherein the information regarding the content of the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored.

9.   (Original)The method according to claim 8, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.

10.   (Currently amended)   A device for playing a downloaded content, comprising:

a reading means for reading a pre-stored content which include information regarding a content to the downloaded content, the pre-stored content including

at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content;

a detecting means for detecting an available bandwidth;

a sending means for sending a request for downloading the downloaded content according to the information contained within the pre-stored content, wherein the request includes the information of the bandwidth;

a receiving means for receiving the downloaded content according with the detected bandwidth;

a playing means for playing the downloaded content combined with the pre-stored content; and

a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

.

11. (Original) The device according to claim 10, wherein the request includes a URL of a website on which the downloaded content are stored.

12. (Original) The device according to claim 10, wherein the detecting means are arranged for detecting throughput of effective information transmitted within a specific period.

13. (Currently amended) A device for playing a downloaded content, comprising:

a reading means for reading a pre-stored content which include information regarding a content of the downloaded content, the pre-stored content including at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content t;

a detecting means for detecting available bandwidth;

a selecting means for selecting relevant quality of the downloaded content according to the detected bandwidth information and the information regarding the downloaded content;

a sending means for sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;

a receiving means for receiving the downloaded content according to the relevant quality;

a playing means for playing the downloaded content combined with the pre-stored content; and

a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

.

14.   (Original)   The device according to claim 13, wherein the information relevant to the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored and a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content.

15.   (Original)   The device according to claim 13, wherein the detecting means are arranged for detecting throughput of effective information transmitted within a specific period.

16.   (Currently amended)   A device for playing a downloaded content, comprising:

a reading means for reading a pre-stored content which include information regarding a content of the downloaded content, the pre-stored content including at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content;

a detecting means for detecting an available bandwidth;

a selecting means for selecting relevant quality of the downloaded content according to the detected bandwidth information and the information regarding the content of the downloaded content;

a sending means for sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;

a receiving means for receiving the downloaded content according to the relevant quality;

a playing means for playing the downloaded content combined with the pre-stored content; and

a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

.

17.   (Original)The device according to claim 16, wherein the information relevant to the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored.

18.   (Original) The device according to claim 17, wherein the detecting means are arranged for detecting throughput of effective information transmitted within a specific period.